Grass and Forage Science

EDITED BY O. R. JEWISS

VOLUME 52, 1997

The Journal of the British Grassland Society
The Official Journal of the European Grassland Federation
published by Blackwell Science
Oxford London Edinburgh Boston
Melbourne Berlin Paris Vienna Tokyo

© 1997 Blackwell Science
23 Ainslie Place, Edinburgh EH3 6AJ
25 John Street, London WCIN 2BL
Osney Mead, Oxford OX2 0EL

Blackwell Science Asia Ltd, 54 University Street (PO Box 378), Carlton South, Victoria 3053, Australia
Blackwell Science France, 10 rue Casimir Delavigne, 75000, Paris, France
Blackwell Wissenschafts-Verlag GmbH, Kurfürstendamm 57, 10707 Berlin, Germany
Blackwell Science KK, MG Kodenmacho Building, 7–10 Kodenmacho Nihombashi, Chuo-ku, Tokyo 104, Japan
Blackwell Science Inc, Commerce Place, 350 Main Street, Malden, MA 02148-5018, USA

Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients, is granted by Blackwell Science for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $14.00 per copy is paid directly to CCC, 222 Rosewood Drive, Suite 910, Danvers, MA 01923, USA.Special requests should be addressed to the Editor. 0142-5242/97 $14.00

The Blackwell Science logo is a trademark of Blackwell Science Ltd, registered at the United Kingdom Trade Marks Registry.

ISSN 0142-5242

Typeset in Malaysia by SRM Production Services Sdn. Bhd.
Printed in Great Britain by Whitstable Litho, Whitstable, UK

Contents

NUMBER 1, MARCH 1997

O. JEWISS. Editorial 1

D. REID. Malcolm E. Castle: an appreciation 3

D.B. VAGNONI, G.A. BRODERICK and R.E. MUCK. Preservation of protein in wilted lucerne using formic, sulphuric or trichloroacetic acid 5

C.O'DONNELL, A.G. WILLIAMS and A.J. BIDDLESTONE. The effects of pressure and stage of ensilage on the mechanical properties and effluent production potential of grass silage 12

N. BERARDO. Prediction of the chemical composition of white clover by near-infrared reflectance spectroscopy 27

G.D. LI, P.D. KEMP and J. HODGSON. Regrowth, morphology and persistence of Grasslands Puna chicory (*Cichorium intybus* L.) in response to grazing frequency and intensity 33

P.S. WIGHTMAN, M.F. FRANKLIN and D. YOUNIE. The effect of sward height on responses of mini-swards of perennial ryegrass/white clover to slurry application 42

J.R. JATIMLIANSKY, D.O. GIMENEZ and A. BUJAN. Herbage yield, tiller number and root system activity after defoliation of prairie grass (*Bromus catharticus* Vahl) 52

C. ROYO. Grain yield and yield components as affected by forage removal in winter and spring triticale 63

M.N. AITKEN. Short-term leaf surface adhesion of heavy metals following application of sewage sludge to grassland 73

D.A. WRIGHT, J.P. FROST, D.C. PATTERSON and D.J. KILPATRICK. The influence of weight of ryegrass per unit area and treatment at and after mowing on rate of drying 86

J.E. VIPOND, G. SWIFT, A.T. CLELAND, J. FITZSIMONS and E.A. HUNTER. A comparison of diploid and tetraploid perennial ryegrass and tetraploid ryegrass/white clover swards under continuous sheep stocking at controlled sward heights. 3. Sward characteristics and animal output, years 4–8 99

E. CHARMLEY, P. SAVOIE and R.E. MCQUEEN. Influence of maceration at cutting on lactic acid bacteria populations, silage fermentation and voluntary intake and digestibility of precision-chopped lucerne silage 110

P.F. WHITE, T.T. TREACHER, A. TERMANINI and S. RIHAWI. The accuracy of using the ratio of nitrogen to acid detergent fibre in faeces to partition nitrogen

between faeces and urine in total excreta collections from ewès 122

Book reviews 125

Corrigenda 128

NUMBER 2, JUNE 1997

J.T. DOUGLAS. Soil compaction effects on second-harvest yields of perennial ryegrass for silage 129

A. ELGERSMA and H. SCHLEPERS. Performance of white clover/perennial ryegrass mixtures under cutting 134

C.A. MARRIOTT, G.R. BOLTON and E.I. DUFF. Factors affecting the stolon growth of white clover in ryegrass/clover patches 147

C.A. MARRIOTT, J.M. FISHER, K.J. HOOD and M.A. SMITH. Persistence and colonization of gaps in sown swards of grass and clover under different sward managements 156

K.F. SMITH, K.F.M. REED and J.Z. FOOT. An assessment of the relative importance of specific traits for the genetic improvement of nutritive value in dairy pasture 167

A.G. WILLIAMS, R.P. HOXEY and J.F. LOWE. Changes in temperature and silo gas composition during ensiling, storage and feeding-out grass silage 176

Z.N. NIE, A.D. MACKAY, D.J. BARKER, I. VALENTINE and J. HODGSON. Changes in plant population density, composition and sward structure of a hill pasture during a pastoral fallow 190

I. HAFFAR and G. ALHADRAMI. Effect of various bale treatments on physical quality and chemical composition of Rhodes grass (*Chloris gayana*) hay 199

T.G. COMMON, S.A. GRANT, R.H. ARMSTRONG and L. TORVELL. The effects of level of *Molinia* utilization on diet selection and herbage intake by cattle grazing *Molinia* grassland 207

NUMBER 3, SEPTEMBER 1997

R.H. ARMSTRONG, S.A. GRANT, T.G. COMMON and M.M. BEATTIE. Controlled grazing studies on *Nardus* grassland: effects of between-tussock sward height and species of grazer on diet selection and intake 219

U. SCHENK, H.-J. JAGER and H.-J. WEIGEL. The response of perennial ryegrass/white clover mini-swards to elevated atmospheric CO_2 concentrations: effects on yield and fodder quality 232

J.W. CILLIERS, P.L. VAN BILJON, E. TOLMAY and C. COERTZE. Effects of different levels of fertilizer application to veld on growth of

steers and chemical composition of the herbage 242

P. CHILIBROSTE, S. TAMMINGA and H. BOER. Effects of length of grazing session, rumen fill and starvation time before grazing on dry-matter intake, ingestive behaviour and dry-matter rumen pool sizes of grazing lactating dairy cows 249

T.J. MAXWELL, A.R. SIBBALD, J.R. JONES, J.M.M. MUNRO and M.E. REES. The implications of controlling grazed sward height for the operation and productivity of upland sheep systems in the UK. 3. The effect of choice of genotype, level of nitrogen fertilizer and lambe:ewe ratio 258

M. DEL POZO and K. OSORO. Effect of sward height and vertical distribution of clover on performance of cashmere goats in autumn 269

M. DEL POZO, I.A. WRIGHT and T.K. WHYTE. Diet selection by sheep and goats and sward composition changes in a ryegrass/white clover sward previously grazed by cattle, sheep or goats 278

R. LINDNER and A. GARCIA. Genetic differences between natural populations of diploid and tetraploid *Dactylis glomerata* ssp. *izcoi* 291

D.G. STOUT, B. BROOKE, J.W. HALL and D.J. THOMPSON. Forage yield and quality from intercropped barley, annual ryegrass and different annual legumes 298

M.J. GIBB, C.A. HUCKLE, R. NUTHALL and A.J. ROOK. Effect of sward surface height on intake and grazing behaviour by lactating Holstein Friesian cows 309

R.H. JOHNSON and J. MORRISON. Effects of spring fertilizer nitrogen and sward height on production from perennial ryegrass/white clover swards grazed by beef cattle 322

D.C. PATTERSON, C.S. MAYNE, F.J. GORDON and D.J. KILPATRICK. An evaluation of an inoculant/enzyme preparation as an additive for grass silage for dairy cattle 325

G.T. BARTHRAM. Shoot characteristics of *Trifolium repens* grown in association with *Lolium perenne* or *Holcus lanatus* in pastures grazed by sheep (Research Note) 336

NUMBER 4, DECEMBER 1997

E.L. BREESE. Professor P. T. Thomas: an appreciation 341

C. O'DONNELL, A.G. WILLIAMS and A.J. BIDDLESTONE. The effects of temperature on the effluent production potential of grass silage 343

R.F. GOODING and J. FRAME. Effects of continuous sheep stocking and strategic rest periods on the sward

characteristics of binary perennial grass/white clover associations 350

B.E. FRANKOW-LINDBERG, K. SVANÄNG and M. HÖGLIND. Effects of an autumn defoliation on overwintering, spring growth and yield of a white clover/grass sward 360

A. ELGERSMA and LI. FENGRUI. Effects of cultivar and cutting frequency on dynamics of stolon growth and leaf appearance in white clover grown in mixed swards 370

T.E. SVEISTRUP and T.K. HARALDSEN. Effects of soil compaction on root development of perennial grass leys in northern Norway 381

F. LOUAULT, P. CARRÈRE and J.F. SOUSSANA. Efficiencies of ryegrass and white clover herbage utilization in mixtures continuously grazed by sheep 388

D.J. DONAGHY and W.J. FULKERSON. The importance of water-soluble carbohydrate reserves on regrowth and root growth of *Lolium perenne* (L.) 401

S.C.F. PALMER. Prediction of the shoot production of heather under grazing in the uplands of Great Britain 408

E. OLDENBURG. Endophytic fungi and alkaloid production in perennial ryegrass in Germany 425

H. DUCROCQ and M. DURU. *In vitro* digestibility of green lamina of cocksfoot (*Dactylis glomerata* L.) in relation to water deficit 432

R.F. GOODING, D. RACKHAM, J.P. HOLLAND and D. ROBERTSON. Detailed surveying and mapping of plant communities on featureless terrain (Research Note) 439

L. WU, M.B. MCGECHAN and A.C. KNIGHT. Simulation of allocation of accumulated biomass to leaf and stem in a grass growth model (Research Note) 445

B.C. VENUTO, R.E. JOOST, R.W. HINTZ and C.R. CHANEY. Differential red clover germplasm response to defoliation and fungicide application (Research Note) 449

Author Index 454

List of Referees 459